

# Pass4Leader

Pass4Leader

> Contact Us  Login / Register

 HOME

 ALL VENDORS

 GUARANTEE

 FAQ

 TESTIMONIALS

 CART (0)



Try **Online Engine** before you buy

We're not the only ones **excited** about Pass4Leader Practice Material ...

66966+ customers in 100+ countries use Pass4Leader Test Engine. Meet our customers.



<http://www.pass4leader.com/>

Latest Exam Guide & Learning Materials

**Exam :** 000-779

**Title :** IBM tivoli workload scheduler v8.2 exam

**Vendors :** IBM

**Version :** DEMO

NO.1 You are planning an IBM Tivoli Workload Scheduler environment. Where should you install the connector software?

- A.on any FTA behind a firewall
- B.on any endpoint with JSC 1.3 installed
- C.on any X-agent system with 1 GB of memory
- D.on any managed node or TMR server where the IBM Tivoli Workload Scheduler MDM is installed

Correct:D

NO.2 What steps should you use to install an SAP R/3 X-Agent?

- A.create a host IBM Tivoli Workload Scheduler definition, create the X-Agent definition, and run ISMP to install the SAP R/3 Access method.
- B.create the X-Agent definition, create a host IBM Tivoli Workload Scheduler definition, and select the Access SAP R/3 check box on the host IBM Tivoli Workload Scheduler definition.
- C.create the X-Agent definition, create a host IBM Tivoli Workload Scheduler definition, and edit the existing r3batch.opts file in the mozart directory.
- D.create a host IBM Tivoli Workload Scheduler definition, edit the host IBM Tivoli Workload Scheduler definition with the X-Agent flag, and edit the existing r3batch.opts file in the /usr/unison directory.

Correct:A

NO.3 Which two conditions will cause a job to enter a FAIL state upon execution? (Choose two.)

- A.The job script returns a non zero exit code.
- B.The script file specified as the job task does not exist.
- C.The .jobmanrc file for the job's logon is not executable.
- D.The logon ID specified in the job definition does not exist.
- E.Execute permission is not granted for the job's logon ID in the IBM Tivoli Workload Scheduler Security file.

Correct:B D

NO.4 A job has a valid return code of 5, 8, or 13. Which return code expression is valid?

- A.(RC = 5) AND (RC = 8) AND (RC = 13)
- B.(RC > 5 AND RC < 13)
- C.(RC = 5) OR (RC > 8 AND RC <= 13)
- D.(RC = 5) OR (RC = 8) OR (RC = 13)

Correct:D

NO.5 Which two scheduling objects will allow for tighter IBM Tivoli Workload Scheduler security

control in the database and improved filtering in the JSC 1.3 by adopting a naming convention?

(Choose two.)

- A.Jobs
- B.Files
- C.Users
- D.Calendars
- E.Job Streams

Correct:A E

NO.6 Which two IBM Tivoli Workload Scheduler processes run on Windows systems but not UNIX

systems? (Choose two.)

- A.netman
- B.JOBMAN
- C.batchup
- D.batchman
- E.tokensrv

Correct:C E

NO.7 Which two features should you use, given a default IBM Tivoli Workload Scheduler installation

and a job requiring a launch window extending from 2 p.m. today until 3 p.m. tomorrow?

(Choose

two.)

- A.time zone
- B.day offset
- C.carryforward
- D.custom run cycle
- E.multiple job streams with external dependencies

Correct:B C

NO.8 Which is required to switch to a backup MDM for a short-term period?

- A.The backup MDM is a Full Status FTA.
- B.The MDM's databases exist on the backup MDM.
- C.The Final job stream has been scheduled to run on the MDM.
- D.The backup MDM runs on the same operating system as the MDM.

Correct:A

NO.9 Which three IBM Tivoli Workload Scheduler programs run during Jnextday? (Choose three.)

- A.stopcpu
- B.startcpu
- C.compiler
- D.schedulr
- E.composer
- F.stageman

Correct:C D F

NO.10 Framework must validate user access for which IBM Tivoli Workload Scheduler component?

- A.JSC 1.3
- B.JSS
- C.oserv process
- D.batchman process

Correct:A

NO.11 A user has logged on to the IBM Tivoli Workload Scheduler MDM using the JSC 1.3 to update a job. The user receives a message, ODIFY on JOB access not granted? What is the cause for this error?

- A.lack of appropriate permissions in the Security file
- B.lack of appropriate permissions in the Framework
- C.lack of permissions in the /etc/passwd file
- D.ITWS netman process is down

Correct:A

NO.12 Which file contains home directory and version information for IBM Tivoli Workload Scheduler

8.2 installations in UNIX?

A./usr/bin/components

B./etc/Tivoli/tws\_inst

C./etc/TWS/TWSRegistry.dat

D./mozart

E./localopts

Correct:C

NO.13 Which command installs IBM Tivoli Workload Scheduler engine patches on Windows?

A.setup.exe

B.install\_patch

C..exe

D.install\_patch

Correct:A

NO.14 Which logon ID value should be used for LUser?

A.twsuser ID

B.r3 username

C.job's streamlogon

D.root/Administrator

Correct:A

NO.15 Which event causes this error from wmaeutil? wmaeutil.exe - Unable to Locate DLL  
The dynamic

link library libtas.dll could not be found in the specified path

c:\win32app\maestro\bin;.;C:\WINNT\System32;C:\WINNT\system;C:

\WINNT;C:\TeamC\Nls\msg\ENU;C:\TeamC\dll;

c:\TeamC\bin;C:\WINNT\SYSTEM32;C:\WINNT;C:\MWW32\BIN;C:\MWW32\MODEM;C: \

Personal

Communications;c:\CMVC\EXE;c:\win32app\maestro;c: \win32app\maestro\bin.

A.The user does not have a jobmanrc.cmd.

B.The TWSCconnector was not installed properly.

C.The Tivoli environment script setup\_env.cmd is not sourced.

D.There are multiple IBM Tivoli Workload Scheduler installations on this host, and the wrong wmaeutil was called.

Correct:C

NO.16 How should an IBM Tivoli Workload Scheduler administrator alert operators when a job is running too long?

- A.write a custom script to monitor job runtime
- B.set the Termination Deadline
- C.set the Latest Start Time (UNTIL)
- D.set the Start time

Correct:B

NO.17 How will IBM Tivoli Workload Scheduler handle a carryforward job stream dependent on a non-carryforward job that has not executed by Jnextday run time?

- A.The job is considered as abended.
- B.The dependency is considered as resolved.
- C.The predecessor job will be carryforwarded.
- D.A prompt will be generated for the dependency.

Correct:D

NO.18 Which action should be taken when receiving the error "Unable to get exclusive access to Symphony" from stageman?

- A.Delete Symphony
- B.Issue a conman "stop;wait"
- C.Increase the parms for mailman in NetConf
- D.Rerun stageman with a -carryforward all flag

Correct:B

NO.19 In which circumstance should you manually create the IBM Tivoli Workload Scheduler user prior to running the installation?

- A.if installing under the local user on Windows
- B.if installing on a PDC/BDC under a Tivoli ID
- C.if installing under a Windows Domain user, or on any UNIX platform
- D.if installing under a Windows workstation administrator

Correct:C

NO.20 Which option in the localopts file specifies the TCP port that IBM Tivoli Workload Scheduler listens on?

A.nm port

B.bm port

C.tcp port

D.nm ipvalidate

Correct:A